



Sen. Chapin Rose

Filed: 4/5/2019

10100SB1371sam002

LRB101 09338 AXK 58967 a

1 AMENDMENT TO SENATE BILL 1371

2 AMENDMENT NO. _____. Amend Senate Bill 1371 by replacing
3 everything after the enacting clause with the following:

4 "Section 5. The School Code is amended by adding Sections
5 10-20.69 and 34-18.61 as follows:

6 (105 ILCS 5/10-20.69 new)

7 Sec. 10-20.69. Door security locking means.

8 (a) In this Section, "door security locking means" means a
9 door locking means intended for use by a trained school
10 district employee in a school building for the purpose of
11 preventing both ingress and egress through a door of the
12 building.

13 (b) A school district may install a door security locking
14 means on a door of a school building to prevent unwanted entry
15 through the door if all of the following requirements are met:

16 (1) The door security locking means can be engaged

1 without opening the door.

2 (2) The unlocking and unlatching of the door security
3 locking means from the occupied side of the door can be
4 accomplished without the use of a key or tool.

5 (3) Locks, if remotely engaged, can be unlocked from
6 the occupied side.

7 (4) The door security locking means is capable of being
8 disengaged from the outside by school district employees,
9 and school district employees may use a key or other
10 credentials to unlock the door from the outside.

11 (5) The door security locking means does not modify the
12 door-closing hardware, panic hardware, or fire exit
13 hardware.

14 (6) Any bolts, stops, brackets, or pins employed by the
15 door security locking means do not affect the fire rating
16 of a fire door assembly.

17 (7) School district employees are trained in the
18 engagement and release of the door security locking means,
19 from within and outside the room, as part of the emergency
20 response plan.

21 (8) For doors installed before July 1, 2019 only, the
22 unlocking and unlatching of a door security locking means
23 requires no more than 2 releasing operations. For doors
24 installed on or after July 1, 2019, the unlocking and
25 unlatching of a door security locking means requires no
26 more than one releasing operation. If doors installed

1 before July 1, 2019 are replaced on or after July 1, 2019,
2 the unlocking and unlatching of a door security locking
3 means on the replacement door requires no more than one
4 releasing operation.

5 (c) A school district must include the location of any door
6 security locking means and must address the use of the locking
7 and unlocking means from within and outside the room in its
8 filed school safety plan under the School Safety Drill Act.
9 Local law enforcement officials and the local fire department
10 must be notified of the location of any door security locking
11 means and how to disengage it. Any specific tool needed to
12 disengage the door security locking means from the outside of
13 the room must, upon request, be made available to local law
14 enforcement officials and the local fire department.

15 (d) A door security locking means may be used only (i) by a
16 school district employee trained under subsection (e), (ii)
17 during an emergency that threatens the health and safety of
18 students and employees or during an active shooter drill, and
19 (iii) when local law enforcement officials and the local fire
20 department have been notified of its installation prior to its
21 use. The door security locking means must be engaged for a
22 finite period of time in accordance with the school district's
23 school safety plan adopted under the School Safety Drill Act.

24 (e) A school district that has installed a door security
25 locking means shall conduct an in-service training program for
26 school district employees on the proper use of the door

1 security locking means. The school district shall keep a file
2 verifying the employees who have completed the program and
3 must, upon request, provide the file to its regional office of
4 education and the local fire department and local law
5 enforcement agency.

6 (f) A door security locking means that requires 2 releasing
7 operations must be discontinued from use when the door is
8 replaced or is a part of new construction. Replacement and new
9 construction door hardware must include mortise locks,
10 compliant with the applicable building code, and must be
11 lockable from the occupied side without opening the door.
12 However, mortise locks are not required if panic hardware or
13 fire exit hardware is required.

14 (105 ILCS 5/34-18.61 new)

15 Sec. 34-18.61. Door security locking means.

16 (a) In this Section, "door security locking means" means a
17 door locking means intended for use by a trained school
18 district employee in a school building for the purpose of
19 preventing both ingress and egress through a door of the
20 building.

21 (b) The school district may install a door security locking
22 means on a door of a school building to prevent unwanted entry
23 through the door if all of the following requirements are met:

24 (1) The door security locking means can be engaged
25 without opening the door.

1 (2) The unlocking and unlatching of the door security
2 locking means from the occupied side of the door can be
3 accomplished without the use of a key or tool.

4 (3) Locks, if remotely engaged, can be unlocked from
5 the occupied side.

6 (4) The door security locking means is capable of being
7 disengaged from the outside by school district employees,
8 and school district employees may use a key or other
9 credentials to unlock the door from the outside.

10 (5) The door security locking means does not modify the
11 door-closing hardware, panic hardware, or fire exit
12 hardware.

13 (6) Any bolts, stops, brackets, or pins employed by the
14 door security locking means do not affect the fire rating
15 of a fire door assembly.

16 (7) School district employees are trained in the
17 engagement and release of the door security locking means,
18 from within and outside the room, as part of the emergency
19 response plan.

20 (8) For doors installed before July 1, 2019 only, the
21 unlocking and unlatching of a door security locking means
22 requires no more than 2 releasing operations. For doors
23 installed on or after July 1, 2019, the unlocking and
24 unlatching of a door security locking means requires no
25 more than one releasing operation. If doors installed
26 before July 1, 2019 are replaced on or after July 1, 2019,

1 the unlocking and unlatching of a door security locking
2 means on the replacement door requires no more than one
3 releasing operation.

4 (c) The school district must include the location of any
5 door security locking means and must address the use of the
6 locking and unlocking means from within and outside the room in
7 its filed school safety plan under the School Safety Drill Act.
8 Local law enforcement officials and the local fire department
9 must be notified of the location of any door security locking
10 means and how to disengage it. Any specific tool needed to
11 disengage the door security locking means from the outside of
12 the room must, upon request, be made available to local law
13 enforcement officials and the local fire department.

14 (d) A door security locking means may be used only (i) by a
15 school district employee trained under subsection (e), (ii)
16 during an emergency that threatens the health and safety of
17 students and employees or during an active shooter drill, and
18 (iii) when local law enforcement officials and the local fire
19 department have been notified of its installation prior to its
20 use. The door security locking means must be engaged for a
21 finite period of time in accordance with the school district's
22 school safety plan adopted under the School Safety Drill Act.

23 (e) If the school district installs a door security locking
24 means, it must conduct an in-service training program for
25 school district employees on the proper use of the door
26 security locking means. The school district shall keep a file

1 verifying the employees who have completed the program and
2 must, upon request, provide the file to the local fire
3 department and local law enforcement agency.

4 (f) A door security locking means that requires 2 releasing
5 operations must be discontinued from use when the door is
6 replaced or is a part of new construction. Replacement and new
7 construction door hardware must include mortise locks,
8 compliant with the applicable building code, and must be
9 lockable from the occupied side without opening the door.
10 However, mortise locks are not required if panic hardware or
11 fire exit hardware is required.

12 Section 99. Effective date. This Act takes effect July 1,
13 2019.".